

Opera 30-8 illustrated with inflatable lumbar support and optional extras AMP10 arms and Mini Z-rest.

30

New OPERA 30

Multitasking chairs



With the new OPERA 30 you have complete control of your posture.

Ease of adjustment comes naturally with controls within easy reach.

- **New** diagrammed levers for ease of adjustment.
- **New** memory foam seat upholstery.
- **New** aircell lumbar support fitted as standard.
- **New** soft feel supportive back upholstery.
- **New** Mini-Z rest option.



Semi Knee Tilt Mechanism

Pivot midway between stem and seat.
Rocking action. Body weight counterbalanced,
locks in any position.

ADVANCE SEATING *designs*



New OPERA 30

Movement and adjustment

Lever controls

The levers are colour coded and diagrammed with function.



Rocking action

Freefloat or lock in any position. (+15° back to -10° front).

Rocking action.

Tension adjustable.

Can be further enhanced by increasing the backrest angle.

Backrest angle

Shapes tailored to specific statures giving correct pelvic and lumbar support.

Fix at any angle:

(+15° back to -10° front)

Backrest height

Height adjustable (range 10cm).

Seat slide

Depth range 5cm.

The above chairs are illustrated with AMP10 arms, Schukra lumbar support and Z-rest optional extras.



Arms


AMP10 arms (optional extra): soft multi-positional pads with black stems.

Height adjustable over 10cm.

Easy width adjustable (4cm each side) by lever. Easily removed or interchanged.



The arms can be reversed where extra short arms are required, code AMP10REV.



Arm pads

The AMP10 armpads have six click stops front-to-back, five side-to-side and four rotate positions. They can be rotated 180° for 'D' shape in or out and auto lock when straight.

Quick check

OPERA 30

Movement

Rocking action	●
Seat tilt	●
Seat slide	●
Backrest angle adjustment	●
Backrest height adjustment	●

Controls

Colour and diagram coded levers	●
---------------------------------	---

Comfort

Arms – multifunctional	○
Adjustable lumbar support – Inflatable	●
Adjustable lumbar support – Schukra	○
Headrest (Z-rest or Mini Z-rest)	○

Weights

7–23 stone	●
------------	---

Castors

Twin wheels – 50mm diameter	●
Twin wheels – 65mm diameter	○

- Fitted as standard
- Optional extra

New OPERA 30

Multitasking chairs

30

Short seats

Medium seats

Long seats (SL seat)



Opera 30 models	30-2	30-4	30-6SS	30-8SS	30-5	30-6	30-8	30-5L	30-6L	30-8L
-----------------	------	------	--------	--------	------	------	------	-------	-------	-------



Statures	30-2	30-4	30-6SS	30-8SS	30-5	30-6	30-8	30-5L	30-6L	30-8L
----------	------	------	--------	--------	------	------	------	-------	-------	-------

Stature – feet/inches	5'2"–5'8"	5'4"–5'8"	5'7"–5'11"	5'9"–6'1"	5'7"–5'11"	5'9"–6'1"	5'7"–6'2"	5'9"–6'1"	6'1"–6'8"	6'1"–6'8"
Stature – cm	157–173	162–173	170–180	175–185	170–180	175–185	170–188	175–185	185–203	185–203

Weights	30-2	30-4	30-6SS	30-8SS	30-5	30-6	30-8	30-5L	30-6L	30-8L
---------	------	------	--------	--------	------	------	------	-------	-------	-------

Weights 7–23 stone	●	●	●	●	●	●	●	●	●	●
--------------------	---	---	---	---	---	---	---	---	---	---

Dimensions	30-2	30-4	30-6SS	30-8SS	30-5	30-6	30-8	30-5L	30-6L	30-8L
------------	------	------	--------	--------	------	------	------	-------	-------	-------

Seat depth (seat slide) cm	40–45	40–45	40–45	40–45	43–48	43–48	43–48	48–54	48–54	48–54
Seat width cm	46	46	46	46	46	46	46	49	49	49
Backrest height x width cm	37x40	49x41	54x43	60x43	49x41	54x43	60x43	49x41	54x43	60x43
Height, seat to top of backrest cm	45–55	49–59	54–64	58–68	49–59	54–64	58–68	49–59	54–64	58–68
Lumbar curve centre above seat cm ⁽¹⁾	11–23	15–25	14–24	16–26	15–25	14–24	16–26	15–25	14–24	16–26
Arms, height above seat cm	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27	16.5–27
Arms, width between arms cm	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5	34–49.5
Seat height – GS6-SS stem cm ⁽²⁾⁽³⁾	44.5–52.5	44.5–52.5	44.5–52.5	44.5–52.5	45.5–53.5	45.5–53.5	45.5–53.5	45.5–53.5	45.5–53.5	45.5–53.5
Seat height – GS30 stem cm ⁽²⁾⁽³⁾ ●	46.5–55.5	46.5–55.5	46.5–55.5	46.5–55.5	47.5–56.5	47.5–56.5	47.5–56.5	47.5–56.5	47.5–56.5	47.5–56.5
Seat height – GS6-60 stem cm ⁽²⁾⁽³⁾	54–64	54–64	54–64	54–64	55–65	55–65	55–65	55–65	55–65	55–65
Chair base diameter cm	64	64	64	64	69	69	69	69	69	69

- Fitted as standard
- Optional extra
- Not available

- (1) Separate adjustment (by screw) provides 20mm lower height.
- (2) All seat height dimensions are with the chair un-weighted. Minimum height will not alter when weighted.
- (3) Other seat height ranges available if required.



Which size chair?

The stature symbols are for guidance when selecting a chair model for a number of people. To find the chair model most suited to you please use our online chair sizer at: www.asd.co.uk/pose

Manufactured in UK by Advance Seating Designs. Modifications available for special needs.



Pivot midway between stem and seat. With counterbalanced rocking action. Lock in any position.



Highly adjustable Z-rest or Mini Z-rest (shown) available as an optional extra. Can be fitted later on all models.

Complies to BS 5459: (1990): Part 2 level 5.

ADVANCE SEATING *designs*



TELEPHONE: +44 (0)20 8578 4308
FREEPHONE: 0808 100 60 80
FAX: +44 (0)20 8578 4352
E-MAIL: chairs@asd.co.uk
WEB SITE: www.asd.co.uk

UNIT H, FIELD WAY,
METROPOLITAN PARK,
GREENFORD,
MIDDLESEX UB6 8UN UK