

New Opera 65H illustrated with AMP10 arms and Schukra lumbar support and FR-FP footring with footplate optional extras.

New OPERA 60H

High worksurface operator chairs

60H



With the new OPERA 60 you have complete control of your posture.

- New mechanism.
- New soft feel seat upholstery without compromising on renowned comfort.
- New diagrammed levers for ease of adjustment.
- New highly adjustable AMP10 arm option.
- New softer feel Mini-Z rest option.
- Modifications available for special needs.



Central Tilt Mechanism
Pivot central to seat over stem.
Adjust to re-lock in any position.

ADVANCE SEATING *designs*



New OPERA 60H

Movement and adjustment

Lever controls
The levers are colour coded and diagrammed with function.



Seat tilt

Free float or fix in any position (+8° back to -6° front).

Backrest angle

Shapes tailored to specific statures giving correct pelvic and lumbar support.
Fix at any angle: (+15° back to -10° front)

Backrest height

Height adjustable (range 10cm).

Seat slide

Depth range 50mm: 61H, 62H and 64H.
Depth range 60mm: 65H and 66H.

The above chairs are illustrated with AMP10 arms, Schukra lumbar support and FR-FP footring with footplate optional extras.




Arms

AMP10 arms (optional extra): soft multi-positional pads with black stems.
Height adjustable over 10cm.
Easy width adjustable (4cm each side) by lever. Easily removed or interchanged.



The arms can be reversed where extra short arms are required, code AMP10REV.



Arm pads

The AMP10 armpads have six click stops front-to-back, five side-to-side and four rotate positions. They can be rotated 180° for 'D' shape in or out and auto lock when straight.

Quick check

New OPERA 60H

Movement

Seat tilt	●
Seat slide	●
Backrest angle adjustment	●
Backrest height adjustment	●

Controls

Colour and diagram coded levers	●
---------------------------------	---

Comfort

Arms – multifunctional	○
Adjustable lumbar support – Inflatable	○
Adjustable lumbar support – Schukra	○
Headrest (Z-rest or Mini Z-rest)	○
Modifications for special needs	○

Weights

7–19 stone	●
------------	---

Castors

Glides (standard)	●
Castors/Movement-stop stem	○

- Fitted as standard
- Optional extra

New OPERA 60H

High worksurface operator chairs

60H



Opera 60 models	61H	62H	64H	66SSH	65H	66H
-----------------	-----	-----	-----	-------	-----	-----



Statures	61H	62H	64H	66SSH	65H	66H
Stature – feet/inches	4'8"–5'3"	5'2"–5'8"	5'4"–5'8"	5'7"–5'11"	5'7"–5'11"	5'9"–6'1"
Stature – cm	142–160	157–173	162–173	170–180	170–180	175–185

Weights	61H	62H	64H	66SSH	65H	66H
Weights 7–19 stone	●	●	●	●	●	●

Dimensions	61H	62H	64H	66SSH	65H	66H
Seat depth (seat slide) cm	39–44	39–44	39–44	39–44	44–50	44–50
Seat width cm	46	46	46	46	46	46
Backrest height x width cm	26x40	37x40	49x41	54x43	49x41	54x43
Height, seat to top of backrest cm	30–37	41–51	52–60	56–65	48–58	57–66
Lumbar curve centre above seat cm	11–16	15–24	17–26	17–28	18–28	19–29
Arms, height above seat cm	17–27	17–27	17–27	17–27	17–27	17–27
Arms, width between arms cm	35.5–50	35.5–50	35.5–50	35.5–50	35.5–50	35.5–50
Seat height – GS6-H stem cm ⁽¹⁾ ●	58.5–76	58.5–76	58.5–76	58.5–76	59.5–77	59.5–77
Seat height – GS6-EH stem cm ⁽¹⁾	61.5–79	61.5–79	61.5–79	61.5–79	62.5–80	62.5–80
Seat height – GS6-SH stem cm ⁽¹⁾⁽²⁾	–	–	–	–	69.5–94	69.5–94
Chair base diameter cm	69	69	69	69	69	69

- Fitted as standard
- Optional extra
- Not available

(1) All seat height dimensions are with the chair un-weighted. Minimum height will not alter when weighted.
 (2) Only with BAB3 (72.5cm diameter) base.

Which size chair?




The stature symbols are for guidance when selecting a chair model for a number of people. To find the chair model most suited to you please use our online chair sizer at: www.asd.co.uk/pose

Manufactured in UK by Advance Seating Designs. Modifications available for special needs.



Pivot central to seat over stem. Adjust to re-lock in any position.



The AMP10 armpads have six click stops front-to-back, five side-to-side and four rotate positions. They can be rotated 180° for 'D' shape in or out and auto lock when straight.



The arms can be reversed where extra short arms are required, code AMP10REV.

Complies to BS 5459: (2000) Part 2, (new equivalent level S).

ADVANCE SEATING *designs*



TELEPHONE: +44 (0)20 8578 4308
FREEPHONE: 0808 100 60 80
FAX: +44 (0)20 8578 4352
E-MAIL: chairs@asd.co.uk
WEB SITE: www.asd.co.uk

UNIT H, FIELD WAY,
METROPOLITAN PARK,
GREENFORD,
MIDDLESEX UB6 8UN UK